

FLUORESCENT SURFACE, SUPENDED, & STRIP ACCESSORIES & MOUNTING HARDWARE

ACCESSORIES	SURFACE VDT/PARALOUVER	SURFACE MODULAR	WOOD TRIM WRAPAROUND	HW WRAP	AW WRAP	DESIGNER STRAIGHT SIDE WRAP**	CLOUDLINE WRAP	CARAVEL WRAP***	OW & SW WRAP	SLIM JIM	T5 MICRO STRIP	N STRIP	T STRIP	T STRIP R.S. & SLIMLINE	TW STRIP 800 & 1500 M.A.	TW STRIP SLIMLINE	STAGGERED STRIP	eQ EDUCATOR	EDUCATOR 5	RETAIL MERCHANTISER
Surface Mount	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
CS-400	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
CS-500	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
CEN-600	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
CEN-600-C	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
CTBH-1									✓			✓								
CTBH-2									✓			✓						✓		✓
CTBH-3													✓	✓	✓					
TC-1									✓			✓	✓	✓	✓					
TH-1									✓			✓								
TH-2									✓			✓						✓		✓
TH-4													✓	✓	✓					
FKR-126									✓	✓		✓	✓	✓	✓			✓		✓
5988W*									✓		✓	✓		✓						
5977W*									✓		✓	✓		✓						
ACH48																		✓	✓	✓
ACH48-SC																		✓	✓	✓
ACH48-CC																		✓	✓	✓
E4-HKK																			✓	
E4-HKS																			✓	

See page 151 for illustrations.














For "TS" Strip see page 152.

* Use for fixtures 4' or less.

** 3 lamp Designer Straight Side Wrap cannot be stem mounted.

***Consult factory for stem mounting of 3 lamp Caravel.

FLUORESCENT STRIP MOUNTING & OPTIONAL ACCESSORIES

Item	Catalog No.	Description
	CS400	Rigid Canopy, Order Stems Separately (one)
	CS500	42° Top Swivel Canopy, Order Stems Separately (one)
	CEN600	42° Top Swivel Canopy and Bottom Leveler (555146), Order Stems Separately (one)
	CEN600C	42° Top Swivel Canopy. Bottom Swivel to Meet California Standards. Includes 2-555146 Levelers, Order Stems Separately (one)
	CS-3=Stem Coupler CS-12=12" CS-18=18" CS-24=24" CS-30=30" CS-36=36" CS-48=48"	Stems 3/8" Trade Size (Will work with 1/2" trade size K.O.'s which are actually 7/8" in diameter) (one)
	CTBH-1 CTBH-2 CTBH-3	"T" Strip T-Bar Hanger Flush Mounting (one) "T" Strip T-Bar Hanger 1-1/2" from ceiling Mounting (Shallow Channel 1-7/8" Rapid Start and Slimline) (one) "T" Strip T-Bar Hanger 1-1/2" from ceiling Mounting (Deep Channel 2-3/4" 800 and 1500mA) (one)
	TC-1	"T" Strip Heavy Duty Coupler (one)
	TH-1 TH-2 TH-4	Sliding Hanger for Shallow "T" Strip (Rapid Start and Slimline) (one) For flush to Ceiling Mounting Sliding Hanger for for Shallow "T" Strip for 1-1/2" from Ceiling Mounting (one) Sliding Hanger for deep "T" strip (800 and 1500mA) For 1-1/2" from Ceiling Mounting (one)
	FKR126	Chain Hanger Set. Includes two 5' 0" heavy-duty link chains with "V" hooks
	5988W 5977W	Hydee Hangers for 4' and smaller units only 120v, 15 AMP Receptacle—NEMA 5-15R 277v, 15 AMP Receptacle—NEMA L7-15R Complete with two 5' chains and hooks
	CGS-4 CG-2 CG-3 CG-4	4' Wire Guard for "N" Narrow Cross Section Strip. Wire Guards for "T" or "HDS" wide cross Section Strips. Not for Use with "TW" or "TS" Strips. For 2' "T" Strip For 3' "T" Strip (use 2 for 6') For 4' "T" or "HDS" Strips (use 2 for 8')
	ACH48 ACH48-SC ACH48-CC	48" Adjustable Cable Hanger Kit (one) 48" Adjustable Aircraft Cable Hanger Kit with White Straight Cord (one) 48" Adjustable Aircraft Cable Hanger Kit with White Coiled Cord (one)
	E4-HKK E4-HKS	Sliding Hanger Bracket with 7/8" hole (one) Sliding Hanger Bracket with 1/4" x 1" slot (one)

STRIP & INDUSTRIAL FLUORESCENT ACCESSORIES & MOUNTING HARDWARE

ACCESSORIES	HDS & TS STRIPS 32W/40W & SLIMLINE	HDS & TS STRIPS HO & VHO	HDI HEAVY DUTY INDUSTRIAL	IK INDUSTRIAL 28W/32W & SLIMLINE	SI INDUSTRIAL HO	SI INDUSTRIAL 32W/40W & SLIMLINE	1FD, 1F, & 2F 32W/40W & SLIMLINE	1FD, 1F, & 2F HO & VHO	ASSEMBLY LINE SLIMLINE	ASSEMBLY LINE HO	HP HIGH PERFORM. INDUSTRIAL	IA & IS 32W/40W & SLIMLINE	IA & IS HO & VHO	DW & V2 VAPORLUME	LW VAPORLUME - WET LOC.	CASCADE WET LOCATION	CASCADE 32W/40W & SLIMLINE	SPLASH HO	SPLASH ZONE	VT & DT	SECURITY LIGHT
Surface Mount	✓		✓	✓		✓		✓		✓	✓			(1)	✓	✓		(2)	(3)	✓	
CS-400**	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
CS-500**	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
CEN-600**	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
CEN-600-C**	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
FL-110**	✓	✓				✓	✓	✓			✓										
FL-111**	✓	✓				✓	✓	✓			✓										
FL-113**	✓	✓				✓	✓	✓			✓										
FL-116**	✓	✓				✓	✓	✓			✓										
FL-117**	✓	✓				✓	✓	✓			✓										
FL-118**	✓	✓				✓	✓	✓			✓										
FL-119**	✓	✓				✓	✓	✓			✓										
FL-120**	✓	✓				✓	✓	✓			✓										
FL-122**	✓	✓				✓	✓	✓			✓										
FL-123**	✓	✓	(4)	(4)	(4)	✓	✓	✓	✓		✓										✓
FKR-126 *									✓	✓		✓	✓	(5)							
CTBH-1 *												✓									
CTBH-2 *												✓									
CTBH-3 *									✓	✓			✓								
TC-1 *									✓	✓		✓	✓								
TH-1 *												✓									
TH-2 *												✓									
TH-4 *									✓	✓			✓								
N-3380**	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
N-3385**	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
3395**	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
5988W * †	✓			(4)		✓		✓		✓	✓										
5977W * †	✓			(4)		✓		✓		✓	✓										
TBK/TBKG**														✓							
EBK														✓							
SZB																					✓
E4-HKK*			✓	✓	✓																
E4-HKS*			✓	✓	✓																
E4-CHK			✓	✓	✓																

* See Page 151 for illustrations.

† Use for fixtures 4' or less.

(1) With TBK, TBKG, or EBK kit only.

(2) With SZB kit only.

**See page 153 for illustrations.
































(3) With Angle Mount option only.

(4) With E4-CHK kit only.

(5) With TBK or TBKG kit only.

INDUSTRIAL FLUORESCENT ACCESSORIES & MOUNTING HARDWARE

DAY-BRITE®

Item	Catalog No.	Description	Item	Catalog No.	Description
	CS400	Rigid Canopy, Order Stems Separately		3391P	Suspension Hooks, Pair for damp location Vaporlume applications
	CS500	42° Top Swivel Canopy, Order Stems Separately		N3385	Universal Joint, (45°) aligner, 1/2" I.P.S. fits 4" square box
	CEN600	42° Top Swivel Canopy Bottom Leveler (555146), Order Stems Separately		N3380	Universal Joint, (45°) aligner, 1/2" I.P.S. fits 3-1/4" & 4" octag. box
	CEN600C	42° Top Swivel Canopy Bottom Swivel to Meet California Standards. Includes 2-555146 Levelers, Order Stems Separately		N3381	Universal Joint, (45°) aligner, 3/4" I.P.S. fits 3-1/4" & 4" octag. box
	CS-3=stem coupling CS-12=12" CS-18=18" CS-24=24" CS-30=30" CS-36=36" CS-48=48"	Stems 3/8" Trade Size (Will work with 1/2" trade size K.O.'s which are actually 7/8" in diameter)		3395	Vaportight Adjustable Hanger, 1/2" I.P.S. threaded
	FL-110	Sliding Hanger w/offset Ceiling Strap for 1/2" Conduit Suspension (c/o FL-111, FL-112)		FKR-173 IK-173 HDI-173	Wire Guards, 4' IA, IS 4' Industrial Kinetics Series 4' HDI Series (Use 2 for 8' Unit) (baked white enamel)
	FL-111	Sliding Hanger for 1/2" Conduit, 3/8" Rod, or 5/16" Screw		FL-125-120V	Cord/Plug, Three wire, 6' cord and plug (120V not wired in fixture) NEMA, 5-15P STT-18/3
	FL-113	Sliding Hanger w/offset Ceiling Strap for 3/8" Rod or Ceiling (c/o FL-111, FL-115)		FL-125-277V	Cord/Plug, Three wire, 6' cord and plug (277V not wired in fixture) NEMA, 7-15P STT-18/3
	FL-116	Sliding Chain Suspension (c/o FL-111, FL-117)		FL-1	Channel End Cap, (pair) For 1F, 1FD, 2F, SI & TS Series
	FL-117	Hook with two washers and two nuts		FL-3	Channel Coupling, For 1F, 1FD, 2F, SI, HP & TS Series
	FL-118	Sliding Messenger Cable Suspension (c/o FL-111, FL-119)		FL-5	Reflector End Cap, (pair) For 1F & 2F Series
	FL-119	Sliding Messenger Cable Suspension	Prismatic Plastic Diffusers, 1F, 1FD, & 2F Series 10% Up-light reflectors & 25% Up-light "V" Reflectors		
	FL-120	Sliding Hanger for Twin Rod Suspension (c/o FL-111, FL-115, FL-121)		FL-161A	32W/40W, Rapid Start, 4' Acrylic K-12 Lens
	FL-122	Sliding Hanger for Ceiling Suspension (c/o FL-111, FL-121)			Diffuser, for Slimline, 800MA, 1500MA, 1F, 2F Series
	FL-123	5' Chain & "S" Hooks		FL-162A	Diffuser, 4', Acrylic K-12 Lens
	TBK TBKG	Surface Mounting Brackets for V2, DW Vaporlumes TBK - Stainless Steel (PAIR) TBKG - Galvanized		FL-163A	8' Diffuser, (2 Piece) K-12 Lens (c/o 2-FL-162A)
				Wire Guards, For 1F, 1FD, & 2F Series	
				FL-173	Wire Guard, order one for ea. 4' reflector (baked white enamel)
				Steel Louvers, 30°x30° Shielding for 1F and 1FD Series 10% Up-light reflectors*	
				FL-143	32W/40W, Rapid Start
				Slimline Steel Louvers, 800MA, 1500MA	
				FL-144	White, Cell Size: 2-3/16" Sq., 1-1/4" Deep
				FL-145	Louver, 8' (2pc.) consists (2) FL-144
				Baffle, 30° Longitudinal Shielding for 2F Series 25% Up-light V reflectors*	
				FL-153	32W/40W, Rapid Start, 4'
				For Slimline Steel Louvers, 800MA, 1500MA Rapid Start	
				FL-154	Louver, 4'
				FL-155	Louver, 8' (2pc.) consists (2) FL-154

*Suitable as "Guards" for T-8 and T-12 lamps only.