



PA-46010 SELECTION GUIDE & WIND SPEED MAP




PA-46020.2 15, 20, 25, & 30 FT. SQUARE STRAIGHT STEEL POLES




PA-46021.2 20, 25, & 30 FT. SQUARE STRAIGHT STEEL POLES




PA-46022 30, 35, & 39 FT. SQUARE STRAIGHT STEEL POLES




PA-46030 BULLHORN BRACKETS




PA-46031 CROSSARM & WOOD POLE BRACKETS




PA-46032 SIDE, TENON AND REDUCER BRACKETS



PA-46040.1 SHOEBOX/POLE COMBINATION PACKAGE



PA-46050.1 FLOODLIGHT/POLE COMBINATION PACKAGE



PA-46060.1 20 FT. ROUND TAPERED STEEL POLES




PA-46061.1 25 FT. ROUND TAPERED STEEL POLES



PA-46062.1 30 FT. ROUND TAPERED STEEL POLES


POLES INDEX



8.5" base

PA-46063.1


35 FT. ROUND TAPERED STEEL POLES



9" base

PA-46064.1


40 FT. ROUND TAPERED STEEL POLES



10" base

PA-46065.1

45-50 FT. ROUND TAPERED STEEL POLES



12" base

PA-46066.1

60 FT. ROUND TAPERED STEEL POLES

PA-46069.1

RTS MATERIAL SPECIFICATIONS



4.5"

PA-46070.1

10-16 FT. ROUND STRAIGHT STEEL POLES



4.5"

PA-46071.1

18-25 FT. ROUND STRAIGHT STEEL POLES



5"

PA-46072.1

20-30 FT. ROUND STRAIGHT STEEL POLES

PA-46079.1

RSS MATERIAL SPECIFICATIONS



4"

PA-46080

10-20 FT. SQUARE STRAIGHT ALUMINUM POLES



5"

PA-46081

18-25 FT. SQUARE STRAIGHT ALUMINUM POLES



6"

PA-46082

20-35 FT. SQUARE STRAIGHT ALUMINUM POLES

POLES INDEX



6.75"

PA-46083

30-35 FT. SQUARE STRAIGHT ALUMINUM POLES

PA-46089

SSA MATERIAL SPECIFICATIONS



4" base

PA-46090

10-16 FT. ROUND TAPERED ALUMINUM POLES



5" base

PA-46091

10-14 FT. ROUND TAPERED ALUMINUM POLES



5" base

PA-46092

16-20 FT. ROUND TAPERED ALUMINUM POLES



6" base

PA-46093


16-25 FT. ROUND TAPERED ALUMINUM POLES



7" base

PA-46094


18-30 FT. ROUND TAPERED ALUMINUM POLES



8" base

PA-46095

25-39 FT. ROUND TAPERED ALUMINUM POLES



10" base

PA-46096

30-50 FT. ROUND TAPERED ALUMINUM POLES

PA-46099

RTA MATERIAL SPECIFICATIONS



4.5"

PA-46100

10-25 FT. ROUND STRAIGHT ALUMINUM POLES



5"

PA-46101

10-14 FT. ROUND STRAIGHT ALUMINUM POLES



5"

PA-46102

16-20 FT. ROUND STRAIGHT ALUMINUM POLES

POLES INDEX



6"

PA-46103

16-30 FT. ROUND STRAIGHT ALUMINUM POLES

PA-46109

RSA MATERIAL SPECIFICATIONS

Visit our web site at www.dcolighting.com or www.nitebrites.com

776 South Green Street Tupelo, MS 38804 Phone: 662-842-7212 Fax: 662-841-5501

PA-46000.4

189 Bullock Drive Markham, Ontario Canada L3P 1W4 Phone: 905-294-9570 Fax: 905-294-8911
Day-Brite Lighting reserves the right to make changes without notice. October 2006. DL.5M1006

 **Day-Brite® Lighting**
a Genlyte company